



SIGN PRESS INDIA

SIGNAGE & INTERIOR




(M) +91- 8795512792, 9911806636
e-signpressindia@gmail.com

ADVANTAGE OF PU TACTILE TILES



ADVANTAGE OF PU TACTILE TILES



Unlimited Colors Available



Anti-Slip Concentric Design




Fully Flexible Never Crack



Paste an Existing Flooring


PU TACTILE TILES STRIPS AND STUDS

PU TACTILE TILE DIRECTIONAL




- Dimensions : 300 x 300 x 5 x 2.5 mm
- Raw Material : Polyurethane UV Stabilized & Stain Resistant
- Base Material : Butyl Rubber or TESA Double Tape
- Tile Pattern : 4 Strips with Anti Slip Concentric Pattern
- Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
- Fixing : Peel & Paste (No Drilling required)

PU TACTILE TILE WARNING




- Dimensions : 300 x 300 x 5 x 2.5 mm
- Raw Material : Polyurethane UV Stabilized & Stain Resistant
- Base Material : Butyl Rubber or TESA Double Tape
- Tile Pattern : 36 Studs with Anti Slip Concentric Rings
- Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
- Fixing : Peel & Paste (No Drilling required)

PU TACTILE STRIPS



- Dimensions : 280 x 35 x 5 mm
- Raw Material : Polyurethane UV Stabilized & Stain Resistant
- Base Material : TESA Double Tape
- Strip Pattern : Strip with Anti Slip Concentric Pattern
- Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
- Fixing : Peel & Paste (No Drilling required)

PU TACTILE STUD



- Dimensions : 35 x 5 mm
- Raw Material : Polyurethane UV Stabilized & Stain Resistant
- Base Material : TESA Double Tape
- Stud Pattern : Stud with Anti Slip Concentric Rings
- Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
- Fixing : Peel & Paste (No Drilling required)

SPEED BREAKERS

Rubber Speed Breaker



Dimension : 500 x 350 x 50 mm
 Weight : 16 kg per / m
 Packing : 2 m bag
 Bolt : Extra

Rubber Speed Breaker




Dimension : 500 x 415 x 50 mm
 Weight : 17 kg per / m
 Packing : 1 m bag
 Bolt : Extra

Rubber Speed Breaker



Dimension : 500 x 415 x 75 mm
 Weight : 27 kg per / m
 Packing : 1 m bag
 Bolt : Extra

Rubber Speed Breaker



Dimension : 500 x 425 x 75 mm
 Weight : 26 kg per / m
 Packing : 1 m bag
 Bolt : Extra

Rubber Speed Breaker



Dimension : 250 x 350 x 50 mm
 Weight : 16 kg per / m
 Packing : 2 m bag
 Bolt : Extra

Rubber Rumlbers



Dimension : 500 x 125 x 25 mm
 Weight : 3 kg per / m
 Packing : 10 m bag
 Nails : Extra

Plastic Speed Breaker



Dimension : 250 x 350 x 50 mm
 Weight : 2.5 kg per / m
 Packing : 5 m box
 Nails : Extra

Plastic Speed Breaker



Dimension : 250 x 350 x 50 mm
 Weight : 3.8 kg per / m
 Packing : 5 m box
 Nails : Extra

Plastic+Rubber Speed Breaker



Dimension : 250 x 350 x 50 mm
 Weight : 11 kg per / m
 Packing : 2.5 m bag
 Nails : Extra

Plastic Speed Breaker



Dimension : 500 x 425 x 75 mm
 Weight : 3.5 kg per / m
 Packing : 3 m box
 Nails : Extra

Plastic Speed Breaker



Dimension : 750 x 250 x 75 mm
 Weight : 8 kg per / m
 Packing : 3 m box
 Nails : Extra


Plastic Rumlbers



Dimension : 500 x 130 x 25 mm
 Weight : 2 kg per / m
 Packing : 25 m box
 Nails : Extra


RUBBER CORNER, WHEEL CHOCK,

Rubber Pillar Corner Guard U-shape




Dimension : 1200 x 100 x 100 X 15 mm
 Weight : 4.150 kg
 Packing : 5 Pieces bag
 Hardware : Extra

Rubber Pillar Corner Guard U-shape




Dimension : 900 x 100 x 100 X 25 mm
 Weight : 3.250 kg
 Packing : 10 Pieces bag
 Hardware : Extra

Rubber Pillar Corner Guard U-sha




Dimension : 1000 x 100 x 100 X 15 mm
 Weight : 3.250 kg
 Packing : 10 Pieces bag
 Hardware : Extra

Rubber Pillar Corner Guard L-shape




Dimension : 1000 x 100 x 100 X 12 mm
 Weight : 3.180 kg
 Packing : 5 Pieces bag
 Hardware : Extra

Rubber Pillar Corner Guard L-shape



Dimension : 800 x 100 x 100 X 8 mm
 Weight : 1.800 kg
 Packing : 10 Pieces bag
 Hardware : Extra

Rubber Wall Guard



Dimension : 1000 x 200 x 12 mm
 Weight : 3 kg
 Packing : 10 Pieces bag
 Hardware : Extra

Rubber Wheel Chock-Small



Dimension : 224x150x113 mm
 Weight : 3 kg Approx
 Best for : Mini Truck / Bus

Rubber Wheel Chock-Medium



Dimension : 250x170x182 mm
 Weight : 6 kg Approx
 Best for : Mini Truck / Bus

Rubber Wheel Chock-Large



Dimension : 325x200x225 mm
 Weight : 11 kg Approx
 Best for : Truck / Trailer



Plastic Wheel Chock



Dimension : 460x220x200 mm
 Weight : 3 kg Approx
 Best for : Truck / Bus / Trailer

Rubber Parking Block-600



Dimension : 600x120x100 mm
 Weight : 3 kg Approx
 Best for : Car Parking Area


ROAD STUD

Plastic Road Stud 3M



Colours : Red / White / Yellow / Red+White
 Dimension : 100x90x18 mm
 Direction : Two way prismatic reflector

Plastic Road Stud 3M Single Shank



Colours : Red / White / Yellow / Red+White
 Dimension : 100x90x18 mm
 Direction : Two way prismatic reflector

Plastic Road Stud 3M Twin Shank




Colours : Red / White / Yellow / Red+White
 Dimension : 100x90x18 mm
 Direction : Two way prismatic reflector

Solar Road Stud-ULTRA




Colours : Red (1800mAH, IP-67)
 Dimension : 132x22 mm
 Features : 360 Degree, 102 hours, 130mA,

Aluminium Road Stud



Features : Two way prismatic reflector
 Colours : Red / White / Yellow / Red+White
 Dimension : 110x100x20 mm
 Fixing : With Shank / Nail

Aluminium Road Stud



Features : Two way 43 Glass Beads
 Colours : Red / White / Yellow / Red+White
 Dimension : 110x100x20 mm
 Fixing : With Shank / Nail

Aluminium Road Stud



Features : Two Way 21 Glass Beads
 Colours : Red / White / Yellow / Red+White
 Dimension : 100x100x20 mm
 Fixing : With Shank / Nails

Aluminium Road Stud



Features : Two way prismatic reflector
 Colours : Red / White / Yellow / Red+White
 Dimension : 125x125x20 mm
 Fixing : With Shank

Aluminium Road Stud



Features : Two way 21 Glass Beads (7x3)
 Colours : Red / White / Yellow / Red+White
 Dimension : 100x75x20 mm
 Fixing : With Nail

Solar Road Stud-LW



Colours : Red & Amber
 Dimension : 132x122x22 mm
 Solar Cell : 102 hours 3V, 75mA

Solar Road Stud-HW



Colours : Red & Amber
 Dimension : 125x125x25 mm
 Solar Cell : IP-67, 130mA, 1800mAH, 3.25V

Solar Road Stud-NG



Colours : Red & Amber
 Dimension : 125x125x25 mm
 Direction : 3.25V, 130mA, 1800mAH, IP-67

3M Flexible Median Marker



Tape : Flourescent Type-XI DG-3
 Reflective Sheeting
 Reflection : Both Side Reflective
 Features : Full Flexible

Plastic Median Marker



Tape : Flourescent Type-IV HIP
 Reflective Sheeting
 Reflection : Both Side Reflective
 Material : Thermoplastic Body

Guard Rail Reflector



Material : GI metal sheet
 Reflective : HIP Type-IV or DG Type-XI
 Features : Guard Rail Medians

DELINEATORS

Delineator IRC-3M



Height : 1000 mm / 1100 mm
 Width : 100 mm
 Weight : 2.5 Kg Approx
 Tape : 3M Type-XI

Delineator IRC



Height : 1000 mm / 1100 mm
 Width : 100 mm
 Weight : 2.5 Kg Approx
 Tape : EGP, Type-IV, Type-XI
 Avery, 3M, Orafol, DM

Delineator with Jaali



Height : 750, 1000, 1200 mm
 Pipe Dia : 48 mm, 65 mm, 85 mm, 100 mm
 Jaali : MS Jaali with Powder Coating
 Tape : HIP, EGP, Radium Tape

Delineator Reflector 48 OD



Height : 750 mm / 1000 mm / 1200 mm
 Dia : 48 mm Outer Dia
 Reflectors : 2 Way Acrylic Prismatic Reflector
 Colours : Yellow & Orange

Delineator Reflector 65 OD



Height : 750 mm / 1000 mm / 1200 mm
 Dia : 65 mm Outer Dia
 Reflectors : 2 Way Acrylic Prismatic Reflector
 Colours : Yellow & Orange

Delineator Solar 48 OD



Height : 1000 mm
 Dia : 48 mm Outer Dia
 Reflectors : 74 flash/per/minute
 Voltage : 1.2 V, 1200mAH

Bollard Mild Steel-1



Height : 800 mm
 Dia : 90 mm
 Base Plate : 175 mm
 Reflective : 75 mm x 2 bends of HIP
 Weight : 4.5 kg Approx

Bollard Mild Steel-2



Height : 750 mm
 Dia : 90 mm
 Base Plate : 175 mm
 Reflective : 25 mm x 4 bends of HIP
 Weight : 4 kg Approx

Bollard Mild Steel-3



Height : 800 mm
 Dia : 90 mm
 Base Plate : 175 mm
 Reflective : 25 mm x 4 bends of HIP
 Weight : 4 kg Approx

SAFETY PRODUCTS

CONVEX MIRROR



Dimensions : 39 inch, 32 inch, 24 inch
Weight : 5 kg, 3kg, 2.5 kg

CAUTION BOARD



Dimensions : 750 mm x 1000 x 400 mm
Weight : 1.5 kg Approx

Traffic Spring Post-Plastic

SKU: SI-SPRPOST-PVC-01



Dimension : 750 mm x 200 mm
Weight : 900 g Approx
Best for : Malls / Parking / Society / Road

PLASTIC LINK CHAIN



Dimensions : 8 MM
Length : Customized

SAFETY HELMET



MESSAGE BOARD



Dimensions : 410x360x210 mm
Message on Board : Customized

JACKET



Size : S.M.L.XXL
Color : Orange, Green

JACKET




Size : S.M.L.XXL
Color : Orange, Green

JACKET




Size : S.M.L.XXL
Color : Orange, Green





Rubber Cable Protector-5 Channels



Dimension : 500 x 470 x 50 mm
 Weight : 20 Kg / p / m Approx
 Best for : Event / Conference / Corporate Office

Traffic Cone-Light Weight



Dimension : 750 mm x 400 mm
 Weight : 1.5 kg Approx
 Best for : Malls / Parking / Society

Traffic Cone-Heavy Weight



Dimension : 750 mm x 380 mm
 Weight : 3.5 kg Approx
 Best for : Malls / Parking / Society

Traffic Cone-Hexagonal Shape



Dimension : 750 mm x 430 mm
 Weight : 3.8 kg Approx
 Best for : Malls / Parking / Society

Car Wheel Lock



Dimension : 480 (H) x 253 (W)
 Tyre Size : 35 mm to 275 mm
 Weight : 2 Kg Approx
 Best for : Car Security & Safety



Epoxy Resin Adhesive



Resin : Part A - 6 Kg Resin
 Hardener : Part B - 1 Kg Hardener
 Used for : Speed Breaker Fixing

LED Baton Light-52 Rechargeable



Features : Red, Green, Flashing
 Size : 52 cm
 Features : Rechargeable
 Back-up : 3 hours

LED Baton Light-52 Batteries



Features : Red, Green, Flashing
 Size : 52 cm
 Features : 2 x 150 - R20 Batteries

LED Stop & Go Rechargeable



Features : Red, Green, Flashing
 Size : 19 cm Radius
 Power : Rechargeable

WARNING REFLECTORS




SOLAR DELINEATOR



TRAFFIC SOLAR BLINKER



Q MANAGER GOLDEN STAND



Q MANAGER SILVER STAND



ANTI SKID TAPE



FLOOR MARKING TAPE



RETRO REFLECTIVE TAPE



GLOW IN DARK TAPE






CAUTION TAPE



REFLECTIVE TAPE



RETRO REFLECTIVE SIGN BOARD




PREMIUM BRAILLE SIGNAGE




GLOW SIGN BOARD





Registration





SIGN PRESS INDIA

Road Safety Product & Interior Designer

Manufacture

- ◇ **Pu Tactile Tiles**
- ◇ **Stainless Steel Tactile Tiles**
- ◇ **Braille Signage & Tactile Map**
- ◇ **Road Safety Product**
- ◇ **Road Reflective Signages**
- ◇ **Fire & Industrial Signages**
- ◇ **Show Room & Led Signages**
- ◇ **Furniture Interior Manufacturer**

(M) +91- 8795512792, 9911806636

e-signpressindia@gmail.com

**Milap Nagar Main Road, Block-C, Uttam Nagar
East Delhi-110059**